






**DYNAMIC CLASS 1500 26 Ga. GALVALUME  
1 1/2" MECHANICAL SEAM x 12" or 16" WIDE ROOF PANEL  
OVER 1/2" PLYWOOD**



MAX DESIGN PRESSURE  
-219 Psf



PANEL PROFILE

GENERAL NOTES:

1. ROOF SLOPE IS LIMITED PER THE REQUIREMENTS OF FBC SECTION 1507.4.2 or 1515.2.
2. DESIGN OF SUBSTRATE IS BY OTHERS AND NOT A PART OF THIS APPROVAL.
3. ALL PANEL SYSTEM PERIMETERS, PENETRATIONS, AND TRANSITIONS TO BE FLASHED AND SEALED PER THE REQUIREMENTS OF RAS 133.
4. THE 26 Ga. THICKNESS LISTED IS MINIMUM. THICKER PANELS ARE ALSO APPROVED.

NO.	DATE	DESCRIPTION	BY	CHKD	DATE
1	1/24/24	2023 CODE UPDATE			1/24/24
2	10/14/22	1ST SUBMITTAL			10/14/22

SCOTT WOLTERS  
FL PE# 62354

WOLTERS ENGINEERING  
(COA# 27194)  
15211 97TH ROAD N  
WEST PALM BEACH, FL 33412  
(561) 225-1982

**DYNAMIC METALS**

2951 SE DOMINICA TERRACE  
STUART, FL 34997

PH: (772) 247-2465  
FAX: (772) 247-2466

2177 ANDREWS LANE  
FT. MYERS, FL 33912

PH: (239) 265-1638

EMAIL: [info@dynamicmetal.net](mailto:info@dynamicmetal.net)  
www.dynamicmetal.net



DWG: 15SMS16-HZ  
SHEET: 1/1