



**DYNAMIC CLASS 500 26 Ga. GALVALUME  
5V CRIMP x 20" or 24" WIDE ROOF PANEL  
OVER 1/2" PLYWOOD**




MAX DESIGN PRESSURE	
SCREWS SPACED 16" O.C:	-117.75 Psf
SCREWS SPACED 8" O.C:	-206 Psf

**GENERAL NOTES:**

1. ROOF SLOPE IS LIMITED PER THE REQUIREMENTS OF FBC SECTION 1507.4.2 or 1515.2.
2. DESIGN OF SUBSTRATE IS BY OTHERS AND NOT A PART OF THIS APPROVAL.
3. ALL PANEL SYSTEM PERIMETERS, PENETRATIONS, AND TRANSITIONS TO BE FLASHED AND SEALED PER THE REQUIREMENTS OF RAS 133.
4. THE 26 Ga. THICKNESS LISTED IS MINIMUM. THICKER PANELS ARE ALSO APPROVED.

REV.#	DATE	ISSUED FOR
1	1/24/24	CODE UPDATE
2	10/14/22	45% SUBMITTAL
3		PRINTS ISSUED FOR



SCOTT WOLTERS  
FL PE# 62354

WOLTERS ENGINEERING  
(COA# 27194)  
15211 97TH ROAD N  
WEST PALM BEACH, FL 33412  
(561) 225-1982

**DYNAMIC METALS**

PH: (772) 247-2465  
FAX: (772) 247-2466  
PH: (239) 265-1638  
EMAIL: [info@dynamicmetal.net](mailto:info@dynamicmetal.net)

2951 SE DOMINICA TERRACE  
STUART, FL 34997

2177 ANDREWS LANE  
FT. MYERS, FL 33912  
[www.dynamicmetal.net](http://www.dynamicmetal.net)



DWG: **5S5V24-HZ**  
SHEET: **1/1**