


INSTALLATION DETAILS

DM CLASS 800



DYNAMIC METALS

www.dynamicmetal.net

STANDARD INSTALLATION DETAILS

INDEX

- EAVE W/ GUTTER	1
- GABLE RAKE	2
- FIXED GABLE RAKE	3
- VALLEY	4
- COUNTER FLASHING.....	5
- HEADWALL	6
- END CAP	7
- PIPE BOOT.....	8
- GOOSENECK	9
- PANEL ENDLAP	10
- TRANSITION	11
- RIDGE	12
- VENTED RIDGE	13
- CURB	14

EAVE W/ GUTTER DETAIL



DYNAMIC METALS



EAVE TRIM
DETAIL

MINIMUM 4" OVERLAP WITH
CONTINUOUS CONCEALED SEALANT

CONTINUOUS BEAD OF
SEALANT AND CAULKED
VERTICALLY UP AND OVER

DYNAMIC METALS
(2) #10 X 1" APPROVED
FASTENERS PER CLIP

DYNAMIC METALS
APPROVED CLIP
4" O.C. FROM THE EDGE

UNDERLAYMENT
TO OVERLAP PAST
THE EXISTING DECK

GUTTERS TO SLIDE
BEHIND DRIP EDGE
MATERIAL

APPROVED
WOOD DECKING

10 X 1" APPROVED
FASTENERS @ 12" O.C
OR
1 1/4" RING SHANK NAIL
@ 6 O.C

SOFFIT

NOTE: UNDERLAYMENT LAPS
ALL THE WAY DOWN THE FASCIA

DRAWN BY JA
DATE 00/00/23
CHECK BY JL
DATE 00/00/23

PART NAME EAVE WITH GUTTER DETAIL - STANDARD INSTALL
PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION
METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.



DYNAMIC METALS

GABLE RAKE DETAIL




DYNAMIC METALS



GABLE RAKE

TWO BEADS OF CAULKING
ON EVERY OVER LAP

REMOVE PANEL LEG AND HEM
AROUND GABLE DRIP EDGE
CONTINUOUS MIN 1"



#10 X 1" APPROVED
FASTENERS @ 12" O.C
OR
1 1/4" RING SHANK
NAIL @ 6" O.C

-ALL NAILS OR FASTENERS TO
BE CORROSION RESISTANT OR
STAINLESS STEEL WHEN REQUIRED
BY CODE

DRAWN BY JA
DATE 00/00/23
CHECK BY JL
DATE 00/00/23

PART NAME GABLE RAKE DETAIL - STANDARD INSTALL

PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION
METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.




DYNAMIC METALS


FIXED GABLE RAKE DETAIL



DYNAMIC METALS



MINIMUM 4" OVERLAP WITH CONTINUOUS CONCEALED SEALANT



DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME FIXED GABLE RAKE DETAIL - STANDARD INSTALL

PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.



DYNAMIC METALS


VALLEY DETAIL



DYNAMIC METALS

MINIMUM 8" OVERLAP WITH
2 ROWS OF CONTINUOUS
CONCEALED SEALANT

CONTINUOUS BEAD OF
SEALANT AND CAULKED
VERTICALLY AT PANEL SEAM




DYNAMIC METALS
APPROVED CLIP
4" O.C. FROM
PANEL END


METAL PANEL

METAL PANEL ALLOW
MINIMUM 1/4" GAP FOR
THERMAL EXPANSION


DYNAMIC METALS
APPROVED CLIP
4" O.C. FROM
PANEL END



#10 X 1" APPROVED
FASTENERS @ 6" O.C.



-ALL NAILS OR FASTENERS TO
BE CORROSION RESISTANT OR
STAINLESS STEEL WHEN REQUIRED
BY CODE



DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME VALLEY DETAIL - STANDARD INSTALL

PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION
METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.




DYNAMIC METALS


COUNTER FLASHING DETAIL



DYNAMIC METALS



MINIMUM 4" OVERLAP WITH
CONTINUOUS CONCEALED SEALANT



DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME COUNTER FLASHING DETAIL - STANDARD INSTALL

PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.




DYNAMIC METALS

HEADWALL DETAIL



DYNAMIC METALS



HEADWALL




Z-CLOSURE

NOTE: CUT Z-CLOSURES
TO FIT TIGHT BETWEEN SEAMS

NOTE: SET Z CLOSURES WITH
BUTYL TAPE AND ATTACH
TO PANEL WITH #10 X 1" APPROVED
FASTENERS @ 4" O.C ACROSS THE LENGTH

MINIMUM 4" OVERLAP WITH
CONTINUOUS CONCEALED SEALANT

ADD SELF
ADHESIVE TAPE



DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME

HEADWALL DETAIL - STANDARD INSTALL

PROFILE

DM CLASS 800

PLEASE NOTE:

INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.




DYNAMIC METALS


END CAP DETAIL



DYNAMIC METALS



MINIMUM 6" OVERLAP WITH
CONTINUOUS CONCEALED SEALANT



-ALL NAILS OR FASTENERS TO
BE CORROSION RESISTANT OR
STAINLESS STEEL WHEN REQUIRED
BY CODE

DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME END CAP DETAIL - STANDARD INSTALL


PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION
METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.





DYNAMIC METALS

PIPE BOOT DETAIL




STEP 2




STEP 3

APPLY ENOUGH CAULKING CONTINUOUSLY AROUND PIPE



STEP 4




— BOOT FLASHING TO BE BETWEEN PANEL RIBS @ ALL TIMES

DRAWN BY JA
DATE 00/00/23
CHECK BY JL
DATE 00/00/23

PART NAME PIPE BOOT DETAIL - STANDARD INSTALL
PROFILE DM CLASS 800


PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.



GOOSENECK DETAIL




DYNAMIC METALS



GOOSENECK


NOTE: APPLY CAULKING
TO TOP & BOTTOM

STEP 1



ON EVERY 1/2" MIN
BEAD OF CAULK


STEP 2



GASKETED FASTENERS
EVERY 2" MIN.

1/2" MIN BEAD OF CAULK
TO FULLY COVER ALL FASTENERS

STEP 3



DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME GOOSENECK DETAIL - STANDARD INSTALL

PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION
METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.





DYNAMIC METALS


PANEL ENDLAP DETAIL



DYNAMIC METALS



ALLOW A MIN. 1/4" GAP
FOR THERMAL EXPANSION



DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME PANEL ENDLAP DETAIL - STANDARD INSTALL

PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION
METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.




DYNAMIC METALS


TRANSITION DETAIL



DYNAMIC METALS



END LAPS MIN. 8" W/ 2 BEADS OF CONCEALED SEALANT.



DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME TRANSITION DETAIL - STANDARD INSTALL

PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.



DYNAMIC METALS

RIDGE DETAIL



DYNAMIC METALS

RIDGE DETAIL



NOTE: PANEL CLIPS
TO BE INSTALLED 4"
FROM THE PANEL END

6" MIN. END LAP WITH
CONCEALED SEALANT

CONTINUOUS BEAD OF
SEALANT AND CAULKED
VERTICALLY AT PANEL SEAM

STAINLESS STEEL POP
RIVET @ 24" O.C. MAX.

RIDGE CAP

DYNAMIC METALS
APPROVED CLIP
4" FROM THE PANEL END

METAL PANEL


APPROVED
WOOD DECKING

APPROVED
UNDERLAYMENT


STARTING FROM THE EDGE
OF THE Z METAL
#10 X 1" APPROVED
FASTENERS @ 4" O.C.

CONTINUOUS
BUTYL TAPE

(2) #10 X 1" APPROVED
FASTENERS



STARTING FROM THE EDGE
OF THE Z METAL
#10 X 1" APPROVED
FASTENERS @ 4" O.C.



STAINLESS STEEL POP
RIVET @ 24" O.C. MAX

DRAWN BY JA

DATE 00/00/23

CHECK BY JL

DATE 00/00/23

PART NAME RIDGE DETAIL - STANDARD INSTALL

PROFILE DM CLASS 1500

PLEASE NOTE:

INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION
METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.




DYNAMIC METALS



RIDGE DETAIL



DYNAMIC METALS



Z-CLOSURE IS PERFORATED TO ALLOW FOR AIR FLOW



DRAWN BY JA
DATE 00/00/23
CHECK BY JL
DATE 00/00/23

PART NAME RIDGE DETAIL - STANDARD INSTALL
PROFILE DM CLASS 800

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.




DYNAMIC METALS

CURB DETAIL




DYNAMIC METALS

STEP 1 - INSTALL PANELS AROUND CURB



STEP 2 - INSTALL Z CLOSURES



DRAWN BY	JA	PART NAME	CURB DETAIL - STANDARD INSTALL
DATE	00/00/23	PLEASE NOTE: INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.	
CHECK BY	JL		
DATE	00/00/23		



CURB DETAIL





DYNAMIC METALS

STEP 3 - INSTALL HIGHWALL AND SIDEWALL FLASHING

DETAIL 1



STEP 4 - BACK WALL FLASHING




DRAWN BY	JA	PART NAME	CURB DETAIL - STANDARD INSTALL
DATE	00/00/23	PLEASE NOTE: INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS. INFORMATION DISPLAYED IS SUBJECT TO CHANGE.	
CHECK BY	JL		
DATE	00/00/23		

CURB DETAIL




DYNAMIC METALS

STEP 5 - INSTALL CLEAT AND PREPARE FOR UPPER PANEL



STEP 6 - COMPLETE UPPER PANEL INSTALLATION




DRAWN BY	JA
DATE	00/00/23
CHECK BY	JL
DATE	00/00/23

PART NAME CURB DETAIL - STANDARD INSTALL

PLEASE NOTE:
 INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS.
 INFORMATION DISPLAYED IS SUBJECT TO CHANGE.

CURB DETAIL

STEP 7



DRAWN BY	JA
DATE	00/00/23
CHECK BY	JL
DATE	00/00/23

PART NAME | CURB DETAIL - STANDARD INSTALL

PLEASE NOTE:
INSTALLATION INSTRUCTIONS BASED ON STANDARD INSTALLATION METHODS.
INFORMATION DISPLAYED IS SUBJECT TO CHANGE.